

HOME COPY

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

	ing Office use only
PCT/US International Application No.	00/08871
04 APR 2000 (O	4.04.∞)
PCT INTERNA	TIONAL "ROALSational Application"

Applicant's or agent's file reference 2870/250 (if desired) (12 characters maximum) Box No. I TITLE OF INVENTION COMPOSITION FOR IMPROVING SKIN LIPID BARRIER FUNCTION Box No. II **APPLICANT** Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this This person is also inventor. Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) COLOR ACCESS, INC. Telephone No. 7 Coporate Center Drive Melville, New York 11747 US Facsimile No. Teleprinter No. State (that is, country) of nationality: State (that is, country) of residence: US all designated States all designated States except the United States of America the United States the States indicated in the Supplemental Box This person is applicant for the purposes of: of America only FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Box No. III Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this This person is: Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) MAES, Daniel H. applicant only 279A Nassau Road Huntington, New York 11743 applicant and inventor. US inventor only (If this check-box is marked, do not fill in below.) State (that is, country) of nationality: State (that is, country) of residence: US all designated States except the United States of America all designated States the States indicated in the Supplemental Box This person is applicant the United States of America only for the purposes of: Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE Box No. IV The person identified below is hereby/has been appointed to act on behalf agent common representative of the applicant(s) before the competent International Authorities as: Name and address: (Family name followed by given name; for a legal entity, full official Telephone No. designation. The address must include postal code and name of country.) 212-425-7200 TSEVDOS, Estelle J. Facsimile No. Kenyon & Kenyon 212-425-5288 One Broadway New York, New York 10004 Teleprinter No. US Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Sheet N	PCT	00/08871
Continuation of Box No. III FURTHER APPLICANTS	S AND/OR (FURTHER	INVENTOR(S)
If none of the following sub-boxes is use	d, this sheet is not to be i	ncluded in the request.
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country Box is the applicant's State (that is country) of residence if no State of res ANDERSON, Jon 3838 Briarpatch Circle Galesburg, Michigan 49053 US	of the address indicated in this	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)
State (that is, country) of nationality: US	State (that is, country) of US	residence:
This person is applicant all designated all designated for the purposes of:		nited States
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country Box is the applicant's State (that is, country) of residence if no State of resid	of the address indicated in this	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)
State (that is, country) of nationality: US	State (that is, country) of US	residence:
This person is applicant all designated for the purposes of: all designated the United States		nited States the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country Box is the applicant's State (that is country) of residence if no State of reside	of the address indicated in this	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)
State (that is, country) of nationality: US	State (that is, country) of US	residence:
This person is applicant all designated for the purposes of:		Inited States the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal en The address must include postal code and name of country. The country Box is the applicant's State (that is, country) of residence if no State of res FTHENAKIS, Christina G. 9 Lucille Lane Dix Hills, New York 11746 US	of the address indicated in this idence is indicated below.)	applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)
State (that is, country) of nationality:	State (that is, country) of	residence:

US

all designated States except the United States of America of America only

all designated States

Further applicants and/or (further) inventors are indicated on another continuation sheet.

This person is applicant for the purposes of:

the States indicated in the Supplemental Box

Box No.V

The following designations are hereby made under Rule 4.9(a) (mark the ap	oplicable check-boxes; at least one i	nust be marked):
Regional Patent		

- AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- EP European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment

National Patent (if other kind of protection or treatment desired, specify on dotted line):					
\mathbf{X}	ΑE	United Arab Emirates	\boxtimes	LR	Liberia
\boxtimes	AL	Albania	\boxtimes	LS	Lesotho
\boxtimes	AM	Armenia	\boxtimes		Lithuania
\times	ΑT	Austria	\boxtimes	LU	Luxembourg
\boxtimes	ΑU	Australia	\boxtimes	LV	Latvia
\boxtimes	ΑZ	Azerbaijan	X	MA	Morocco
\boxtimes	BA	Bosnia and Herzegovina	\boxtimes	MD	Republic of Moldova
\boxtimes	BB	Barbados	\boxtimes		Madagascar
\boxtimes	BG	Bulgaria	\times	MK	The former Yugoslav Republic of Macedonia
\boxtimes	BR	Brazil			
\boxtimes	BY	Belarus	\boxtimes	MN	Mongolia
X	CA	Canada	\boxtimes	MW	Malawi
\boxtimes	СНа	nd LI Switzerland and Liechtenstein	\boxtimes	MX	Mexico
\boxtimes	CN	China	\boxtimes	NO	Norway
\boxtimes	CR	Costa Rica	\boxtimes	NZ	New Zealand
X	CU	Cuba	\boxtimes	PL	Poland
X	CZ	Czech Republic	\boxtimes	PT	Portugal
\boxtimes	DE	Germany	\boxtimes		Romania
X	DK	Denmark	\boxtimes	RU	Russian Federation
×	DM	Dominica	\boxtimes	SD	Sudan
×	EE	Estonia	×	SE	Sweden
X	ES	Spain	×	SG	Singapore
\boxtimes	FI	Finland	\boxtimes	SI	Slovenia
\boxtimes	GB	United Kingdom	\boxtimes	SK	Slovakia
\boxtimes	GD	Grenada	\boxtimes	SL	Sierra Leone
\boxtimes	GE	Georgia	\boxtimes	TJ	Tajikistan
\boxtimes	GH	Ghana	\boxtimes	TM	Turkmenistan
\boxtimes	GM	Gambia	\boxtimes		Turkey
\boxtimes	HR	Croatia	\boxtimes	TT	Trinidad and Tobago
\boxtimes	HU	Hungary	\boxtimes		United Republic of Tanzania
\boxtimes	ID	Indonesia	\boxtimes		Ukraine
\boxtimes	IL	Israel	\boxtimes		Uganda
\boxtimes	IN	India	X	US	United States of America
\boxtimes	IS	Iceland			
\boxtimes	JP	Japan	\mathbf{X}	$\mathbf{U}\mathbf{Z}$	Uzbekistan
\boxtimes	KE	Kenya	\boxtimes	VN	Viet Nam
\boxtimes	KG	Kyrgyzstan	\boxtimes	YU	Yugoslavia
X	KP	Democratic People's Republic of Korea	\boxtimes		South Africa
	_		×		Zimbabwe
\boxtimes	KR	Republic of Korea	Che	ck-bo	xes reserved for designating States which have become
×	ΚZ	Kazakhstan	part	y to th	ne PCT after issuance of this sheet:
\boxtimes	LC	Saint Lucia	\boxtimes	DΖ	Algeria
\boxtimes	LK	Sri Lanka	\boxtimes		Antigua and Barbuda

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time

		<u>. </u>	Sheet No:4	PCT/US (0/08871
Box No. VI PRIORITY	CLA		Further prior	rity claim andicated in	the Supplemental Box.
Filing date	2622	Number rlier applicatio		Where earlier application	n is:
of earlier application (day/month/year)	orea	гнег аррисацо	national application country	regional application:* regional Office	international application: receiving Office
item (1)					
item (2)					
item (3)			·	-	
purposes of the present * Where the earlier application is an in Protection of Industrial Property for wh	internation ARIPO applich that eart	onal application ication, it is mande lier application was	on is the receiving Office) to alory to indicate in the Suppleme is filed (Rule 4.10(h)(ii)). See Suppleme	onal Bureau a certified copith the Office which for to dentified above as item(s): ntal Box at least one country particular Box.	
			AUTHORITY		Al. A
Choice of International Searchin (if two or more International S competent to carry out the interna Authority chosen; the two-letter co	earching tional sear	Authorities are ch, indicate the		fearlier search; reference to by or requested from the Internati Number C	
ISA/EP			let	*	
Box No. VIII CHECK LIS	T: LAN	GUAGE OF F	ILING		
This international application of the following number of sheet	ts:	1. 🔀 fee cal	culation sheet	panied by the item(s) man	ked below:
request :	4	 2. ☐ separate signed power of attorney 3. ☑ copy of general power of attorney; reference number, if any: 4. ☐ statement explaining lack of signature 5. ☐ priority document(s) identified in Box No. VI as item(s): 			
description (excluding sequence listing part)	12				
claims :	4				
abstract :	1		6. Translation of international application into (language):		
drawings :		7. Separate indications concerning deposited microorganism or other biological material			
sequence listing part		8. nucleotide and/or amino acid sequence listing in computer readable form			
of description :		9. other (specify):			
Total number of sheets:	21		1	· +ho	
Figure of the drawings which should accompany the abstract	t:		Language of filing of international application:		glish
		LICANT OR			
Next to each signature, indica obvious from reading the reque			_		ens (if such capacity is not
			led Tsouds		
		Estelle Agent	Dary C. Worns J. Tsevdos for Applicants	e Reg. ho. 30, 3	33
				(04.04.00)	
Date of actual receipt of the international applications:	e purporte	ed.	receiving Office use only Rec'd PCT/PTO	04 APR 2000	2. Drawings:
international application: 3. Corrected date of actual rectimely received papers or d	rawings o	to later but	nes ur olifiu	N# W! IV 5000	received:
Date of timely receipt of the corrections under PCT Articles	e require				not received:


timely received papers of drawings completing the purported international application:

4. Date of timely receipt of the required corrections under PCT Article 11(2):

5. International Searching Authority (if two or more are competent):

For International Bureau use only

Date of receipt of the record copy by the International Bureau:



PATENT COOPERATION TREATY APPOINTMENT OF AGENT

The undersigned applicant hereby appoints as agents:

TSEVDOS, Estelle J. (Reg. No. 31,145)

of

KENYON & KENYON

One Broadway

New York, New York 10004 United States of America

to represent the undersigned before all the competent International Authorities in connection with the following international application:

TITLE: COMPOSITION FOR IMPROVING SKIN LIPID BARRIER

FUNCTION

APPLICANT'S OR AGENT'S FILE REFERENCE: 2870/250

INTERNATIONAL APPLICATION NO.:

PCT/US00/08871

INTERNATIONAL FILING DATE:

04 April 2000

filed with the United States Receiving Office and to make or receive payments on its behalf.

APPLICANT:

Daniel H. MAES

ADDRESS:

279A Nassau Road

Huntington, New York 11743

LIS

SIGNATURE:

DATE:

5/30/40

APPLICANT:	Jon ANDERSON	
ADDRESS:	3838 Briarpatch Circle	
	Galesburg, Michigan 49053	
	US	
SIGNATURE: DATE:	Ja-Aglino 6 /3/00	
APPLICANT:	Kenneth D. MARENUS	
ADDRESS:	62 McCulloch Drive	
	Dix Hills, New York 11746	
	US	
SIGNATURE:		
DATE:	5/31/00	
	. ,	
APPLICANT:	Thomas MAMMONE	
ADDRESS:	4 Spencer Street	
	Farmingdale, New York 11735	
	US	
SIGNATURE:	Jlongo Mama 5/30/00	
DATE:	5/30/00	

APPLICANT:	Christina G. FTHENAKIS
ADDRESS:	9 Lucille Lane
	Dix Hills, New York 11746
	US
SIGNATURE:	Et .
DATE:	6/1/00

PCT

FEE CALCULATION SHEET Annex to the Request

PCT/US 000 871

International application No.

Applicant's or agent's file reference 2870/250	04 APR 2000 (04.04.	∞)
Applicant COLOR ACCESS, INC.		
CALCULATION OF PRESCRIBED FEES 1. TRANSMITTAL FEE	240.00	240
2. SEARCH FEE		990
International search to be carried out by (If two or more International Searching Authorities are competapplication, indicate the name of the Authority which is chosen to care	tent in relation to the international	
3. INTERNATIONAL FEE	rry out the international search.)	
Basic Fee		
The international application contains 21 sheets.		
first 30 sheets	427.00 b1	427
0 x _	0.00 b2	
remaining sheets additional amount	5.55 [52]	
Add amounts entered at b1 and b2 and enter total at B	427.00 B	
Designation Fees		i.
The international application contains 84 designations. 8 x 92.00 =	736.00 D	7360
number of designation fees amount of designation fee payable (maximum 8)		
Add amounts entered at B and D and enter total at I	1,163.00 I	1163
(Applicants from certain States are entitled to a reduction of 75% of international fee. Where the applicant is (or all applicants are) so entitled total to be entered at I is 25% of the sum of the amounts entered at B and D.	l, the	
4. FEE FOR PRIORITY DOCUMENT (if applicable)	1 1 1 1	
5. TOTAL FEES PAYABLE		0202
Add amounts entered at T, S, I and P, and enter total in the TOTAL	box 2,393.00 TOTAL	2393
The designation fees are not paid at this time.		
MODE OF PAYMENT		
authorization to charge bank draft	coupons	
deposit account (see below)		
cheque cash	other (specify):	
postal money order revenue stamps		
DEPOSIT ACCOUNT AUTHORIZATION (this mode of paymen	t may not be avcilable at all receiving Offic	es)
The RO/ US is hereby authorized to charge the total fee	s indicated above to my deposit account.	
	e conditions for deposit accounts of the recy or credit any overpayment in the total	
	preparation and transmittal of the priority do	
05-1320 04/04/00	Estelle J. Tsech	con Roy no 30,333
Deposit Account No. Date (day/month/year)	Signature Estelle J.	Tsevdos





Jus 00/08871

GENERAL POWER OF ATTORNEY

(for several international applications filed under the Patent Cooperation Treaty)

(PCT Rule 90.5)

The undersigned person(s): (Family name followed by given name; for a full legal en name of country.)	ntity, full official designation. The address must include postal code and
COLOR ACCESS, INC. 7 Corporate Center Drive Melville, New York 11747 US	
hereby appoint(s) the following person as:	agent common representative
Name and address (Family name followed by given name; for a legal entity, f of country.)	full official designation. The address must include postal code and name
TSEVDOS, Estelle J. Kenyon & Kenyon One Broadway New York, New York 10004 US	
to represent the undersigned before	all the competent International Authorities
	the International Searching Authority only
	the International Preliminary Examining Authority only
in connection with any and all international applications f	iled by the undersigned with the following Office
US	as receiving Office
and to make or receive payments on behalf of the undersignments	gned.
Signature(s) (where there are several persons, each of signing and the capacity in which the person signs, if suc	them must sign; next to each signature, indicate the name of the person h capacity is not obvious from reading this power):
1,000	iren A. Lowney sistant Secretary
Date: 07 22 1998	

Form PCT/Model of general power of attorney (for several international applications) (July 1992)

LegalStar 1997, Form PCTM2

(19) World Intellectual Property Organization International Bureau

(43) International Publication Date 11 October 2001 (11.10.2001)

PCT

(10) International Publication Number WO 01/74327 A1

(51) International Patent Classification7:

A61K 7/48

(74) Agent: TSEVDOS, Estelle, J.; Kenyon & Kenyon, One Broadway, new York, NY 10004 (US).

(21) International Application Number: PCT/US00/08871

(22) International Filing Date: 4 April 2000 (04.04.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(71) Applicant (for all designated States except US): COLOR ACCESS, INC. [US/US]; 7 Corporate Center Drive, Melville, NY 11747 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): MAES, Daniel, H. [FR/US]; 279A Nassau Road, Huntington, NY 11743 (US). ANDERSON, Jon [US/US]; 3838 Briarpatch Circle, Galesburg, MI 49053 (US). MARENUS, Kenneth, D. [US/US]; 62 McCulloch Drive, Dix Hills, NY 11746 (US). MAMMONE, Thomas [US/US]; 4 Spencer Street, Farmingdale, NY 11735 (US). FTHENAKIS, Christina, G. [US/US]; 9 Lucille Lane, Dix Hills, NY 11746 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITION FOR IMPROVING SKIN LIPID BARRIER FUNCTION

(57) Abstract: The invention relates to a composition for topical application to the skin comprising effective amounts of a protease inhibitor and a cell differentiation enhancer. The composition is useful in promoting skin lipid barrier repair and maintaining the integrity of the lipid barrier. In this regard, the compositions can be used in the treatment and prevention of dry skin, and associated chrono/photo-aging conditions, in the treatment and prevention of irritation on the skin, in the treatment and prevention of UV-related damage to the skin, and in the enhancement of the retention of self-tanning.

COMPOSITION FOR IMPROVING SKIN LIPID BARRIER FUNCTION

Field of the Invention

5

15

20

25

30

35

The invention relates to cosmetic and pharmaceutical compositions. More specifically, the invention relates to topical compositions that are useful in enhancing the function of the skin's natural lipid barrier.

10 Background of the Invention

Skin is typically characterized as consisting of three distinct layers, namely the stratum corneum, the epidermis and the dermis. The stratum corneum, the outermost layer, is made up of keratinized cells, surrounded by intercellular space filled with lipids. The stratum corneum provides a substantial physical barrier to penetration of most substances to the lower layers of the skin. In addition to preventing transport of substances to the other skin layers, however, this barrier also aids in prevention of water loss from the skin. Both functions are primarily attributable to the presence of the lipids in the stratum corneum.

There are two sources of the skin surface lipids making up this important barrier: sebaceous glands and the epidermis. The lipids are a diverse group of compounds, comprising triglycerides, diglycerides, ceramides, free fatty acids, wax esters, cholesterol and cholesterol esters, and squalene. The quantity and composition of the skin surface lipids differ from place to place on the body, and may to some extent be related to the number of sebaceous glands in a given area of the skin. The condition of the skin surface lipids may also be affected by an essential fatty acid deficiency. Additionally, the lipid barrier is easily diminished by exposure to harsh detergents or soaps. It is apparent, then, that the quality of the skin lipid barrier can vary widely, depending on a number of different factors, and therefore, may not always be adequate to perform its protective function optimally.

As an attempt to compensate for what may be a less than adequate lipid barrier, cosmetic compositions frequently incorporate components which compensate for water loss. Examples of such materials are hygroscopic humectants, e.g., urea or propylene glycol, which hold water on the skin; or emollients, e.g., oleyl alcohol or caprylic/capric triglycerides. Certain cosmetic components may be occlusive skin conditioners, which are used to provide an "artificial" barrier; such compounds are frequently lipids which remain on the skin surface, and include various hydrogenated oils, waxes and butters. Although many of these products provide an effective means of stemming water loss from the skin, they do have to be reapplied frequently to maintain the effect, and do not generally constitute a natural-occurring component of the stratum corneum, potentially giving rise to an unnatural, greasy feel to the skin. In addition, various pharmaceutical or cosmetic active agents are also frequently used to treat the symptoms of dry skin-associated conditions; however, in many cases, particularly with pharmaceutical agents, the treatments themselves may cause undesirable side effects in the individual being treated, while ultimately resulting in no actual repair of the lipid barrier.

The most desirable situation, from a functional point of view, is to find a way to enhance the skin's own ability to maintain and/or repair the strength of its barrier, so that the protective barrier formed is completely natural. It has now been discovered that a combination of specific skin active agents results in an unexpected increase in the strength of the natural barrier, by stimulating the production and maintenance of the barrier's naturally occurring components. There is thus provided a new type of cosmetic or pharmaceutical composition which functions by enhancing the skin's own functions, resulting in a more natural means of preventing dry skin and other undesirable results of a deficient lipid barrier.

5

10

15

20

25

30

Summary of the Invention

5

10

15

20

25

30

The invention relates to cosmetic and pharmaceutical compositions comprising lipid barrier-enhancing effective amounts of at least one protease inhibitor and at least one cellular differentiation enhancer. The composition can also comprise, in a preferred embodiment, effective amounts of a sterol sulfate, an at least one naturally occurring skin lipid component. The composition of the invention can be used in a method for strengthening the natural lipid barrier of the skin, as well as other methods of skin treatment that are made possible by the strengthening of the barrier.

Detailed Description of the Invention

The combined actives of the composition of the invention have been found to be highly effective in stimulating the repair of a damaged lipid barrier, and therefore, are shown to be useful as well in maintenance of a normal and healthy lipid barrier. For the purposes of the present invention and claims, these abilities will be referred to as strengthening the lipid barrier. compositions of the invention can strengthen the lipid barrier at least about 40%, relative to a placebo control, as measured by a reduction of transepidermal water loss (TEWL) after a barrier challenge, a standard measurement of barrier function. Preferably, the compositions are capable of reducing TEWL at least about 50%, more preferably at least about 60%, and most preferably at least about 70%. The invention incorporates as essential elements a protease inhibitor and a cellular differentiation enhancer. Protease inhibitors are compounds, usually naturally occurring, which inhibit the action of proteases in the skin. Skin proteases also occur naturally, and, among other effects, are involved in the breaking down of the collagen and elastin that is required to maintain the healthy appearance of skin. present case, the protease inhibitors used in the invention are thought to act by preventing the breakage of the desmosome bond

5

10

15

20

between corneccytes at the skin surface, thereby keeping the outer layer of skin cells intact, in essence delaying desquamation. This skin layer provides a barrier to water loss, and the enhanced retention of the barrier by the delay of desquamation provides reinforces this barrier to the loss of water further. A variety of protease inhibitors are known. Examples of useful protease inhibitors include, but are not limited to, triterpenoidcontaining extracts and refined compounds, for example, white birch bark extract, silver birch bark extract, Boswellia extract, bearberry extract, Centella asiatica extract, or Pygeum (Prunus) africanum extract and individual protease inhibitor compounds that may be present in these extracts, including betulinol (betulin), betulinic acid, boswellic acid, ursolic acid, oleanolic acid, oleanol, asiaticoside, asiatic acid, and madagassic acid; phenolic-containing extracts, such as green tea extracts and apple extracts, and compounds contained therein, such as EGCG, ECG, catechins, phenylpropanoids, and phloretin; protein-based extracts, such as soy protein, or egg protease inhibitors, or cholesterol sulfate and phytosterol sulfates. Preferred protease inhibitors are triterpenoids, particularly boswellic acid, betulinol, and betulinic acid, or extracts containing same in substantial quantities.

extract or the individual protease inhibitor can be used, and that the individual protease inhibitors can also be found in other types of extracts. The amount of active material used will vary depending upon the whether an extract or isolated compound is used, the concentration of active material in a given extract, and the known potency of the active material. However, the concentration of active protease inhibitor in the final product should generally be between about 0.001 to about 10%, preferably

about 0.05 to about 5%, more preferably about 0.1 to about 1%, by weight of the total composition.

5

10

15

20

25

30

35

The second component is a cellular differentiation enhancer. Such compounds act in the present invention to increase the ability of the relevant epidermal cells to synthesize the lipids that constitute the primary component of the barrier. epidermal cells that produce lipids do not do so during their entire life cycle, however, but do so only at the point of differentiation. If this differentiation is delayed to the point at which the epidermal cells reach their terminal point in migration to the skin surface, the production of lipids is concurrently delayed, and therefore, their effect, if any, is The differentiation enhancers used in the invention diminished. stimulate the earlier production of lipids from epidermal cells, thereby increasing the length of time over which the lipids are being produced, and presumably concurrently increasing the lipid content of the barrier. Several types of cellular differentiation inhibitors are known, and these include, but are not limited to sclareolide, forskolin, 7-dehydrocholesterol, and Vitamin D3 analogs. The differentiation enhancer also will be used in amount consistent with its known activity, 0.001 to 10%, preferably about .0025 to about 5%, more preferably about 0.05 to about 1%, by weight of the total composition.

The combination of the protease inhibitor and the differentiation enhancer is shown to have a strong effect on barrier repair when compared with control vehicles and with other compounds commonly used in skin enhancement. Specifically, on skin that had been challenged with tape stripping, it was found that combination of these two components exhibits about a 50% increase in barrier repair, as measurable by transepidermal water loss, in comparison with the placebo, after a period of three days. Thus, this combination on its own is shown to be able to increase barrier function substantially.

Although the noted combination is highly effective on its own, it has been further shown that the combination achieves even

further enhancement of barrier function by its combination with certain other skin enhancement compounds. More specifically, the combination with one or more of certain specific skin enhancers. In a preferred embodiment, the barrier repair combination is further combined with cholesterol sulfate, which in the present specification and claims is intended to refer to the corresponding plant-derived material, phytosterol sulfate. Cholesterol sulfate, as described in Applicants' copending application serial no. 09/246,607, incorporated herein by reference, also has an effect on the skin, by increasing the cohesion of the stratum corneum. Thus, its combination with the protease inhibitor/differentiation enhancer even further strengthens the ability of the composition maintain the integrity of the stratum corneum. The amount of cholesterol sulfate employed is preferably about 0.05 to about 10%, preferably from about 0.5 to about 5%, most preferably about 1 to about 3%, by weight of the total composition.

5

10

15

20

25

30

35

In all formulations in which cholesterol sulfate is employed, and in a particularly preferred embodiment, it is preferred that the composition also contain other components of the naturally occurring lipid barrier. In a particularly preferred embodiment, the cholesterol sulfate is combined with at least one of each of fatty acids, ceramides, and a sterol, preferably cholesterol or phytosterol. Fatty acids may be up to 24 carbon atoms in length. Examples of preferred fatty acids include butyric acid, caproic acid, octanoic acid, decanoic acid, dodecanoic acid, tetradecanoic acid, palmitic acid, stearic acid, linoleic acid and oleic acid. Particularly preferred are fatty acids with a C12 to C20 chain length.

The ceramides to be employed in the compositions of the invention are sphingolipids, having a sphingosine or related molecule backbone with fatty acids or ω -esterified fatty acids linked to an amino group on the sphingosine, and in some cases, with saccharide moleties linked to the terminal hydroxyl of the sphingosine. In particular, the compositions may contain ω -esterified ceramides or acylceramides, cerebrosides, ω -esterified cerebrosides, or acylglycosyl sphingolipids. Particularly

preferred types of ceramides for the present compositions are ceramide III and cerebrosides.

5

10

15

20

25

30

35

In those compositions in which cholesterol sulfate is combined with these lipids, the lipid components each can be used in an amount of from about 0.05 to 10%, preferably 0.5 to about 5%, most preferably about 1 to about 3%, all by weight of the total composition. In a particularly preferred embodiment, the cholesterol sulfate and the lipid components are present in substantially equal amounts in the composition. It will be understood from the foregoing that the lipid component need not be pure lipid, but rather may be natural extracts containing one or more desirable lipids, and used in amounts consistent with attaining the concentrations recommended above.

The effect of the present compositions in effecting barrier repair or maintaining the integrity of the skin's outer layer can be applied to a number of different uses. For example, the compositions can be used to treat any condition in which a deficient or faulty barrier is a factor. In this regard, the compositions can be used to improve the long term moisture retention of the skin, or in prevention or treatment of dry skin conditions generally, or specific dry skin conditions, such as result from regular exposure to detergents, soaps and hot water; seasonal exposure to harsh weather conditions, e.g., cold, wind and/or sun; occupational exposure to harsh chemicals or other drying or damaging agents; or pathological conditions such as eczematous dermatides, psoriasis, ichthyoses, xerosis and the like. It is also well-known that dry skin is commonly associated with aging (both intrinsic and photoaging), and the compositions can be used in prevention of further damage to aging skin, or treatment and/or reversal of already present damage, including the appearance of fine lines and wrinkles, which are frequently associated with dry skin and the thinning of the stratum corneum that occurs with age. The compositions can also be used in the treatment of a defective skin barrier, such as occurs on the soles of the feet, and palms of the hands, where the stratum corneum is very thick, but the lipid barrier is poor. In addition, defective

skin barriers frequently occur in association with burns, wounds, blisters, stasis ulcers and bedsores; such injuries can be expected to benefit from application of the compositions.

5

10

15

20

25

30

35

A further use of the compositions of the invention is in reduction of the skin's response to irritants and sensitizers. significant percentage of the population considers itself to have sensitive skin, in that they perceive a frequent, stinging or painful response to various elements to which the skin may be exposed, be it through makeup or skin care products, environmental stimuli such as smoke or pollution, or occupational exposure to chemicals. In addition, even normal skin can have a reaction to exposure to known irritants, such as acids. As it is well known that the stratum corneum and lipids constitute the first line of defense against irritants, by providing a physical barrier to permeability of such materials to the lower skin layers, the application of the compositions of the invention, by increasing the integrity of the barrier, can reduce the reactivity of the skin of both normal and sensitive individuals to irritants and sensitizers. In one embodiment, for example, the compositions can be used to reduce the reaction of the skin to the irritation caused by therapeutic acids such as alpha and beta hydroxy acids, retinoic acid, and the like, or to reduce the irritation caused by insect bites or stings, or alleviate the irritation experienced with contact dermatitis.

The increased cohesion of the stratum corneum brought about by the compositions of the invention also provides other benefits. The stratum corneum represents an important physical barrier between the environment and the deeper skin layers as well as the internal organs. The presence of this thicker layer thus will provide a greater level of protection than is possible with weaker barrier. Perhaps the most important aspect of this effect is the enhanced self-protection from UV rays. The thicker stratum corneum means an increase in the Minimal Erythemal Dose of UV which will result in sunburn or more serious skin damage. In connection with this aspect of the invention, the components of the invention may be beneficially combined with one or more

sunscreens for an enhanced UV protective composition which provides both short- and long-term protection. Thus, the invention provides sunscreen compositions comprising effective amounts of the components of the composition of the invention, and one or more sunscreens. Examples of useful sunscreens include, but are not limited to, inorganic sunscreens such as titanium dioxide, zinc oxide, and iron oxide; and organic sunscreens, such as camphor derivatives, cinnamates, salicylates, benzophenones, triazines, PABA derivatives, diphenylacrylate derivatives, and dibenzoylmethane derivatives. In such sunscreen compositions, the components of the invention are present in the amounts described above, and the respective sunscreens are present in the amounts normally used for UV protection.

5

10

15

20

25

30

35

An additional use of the compositions of the invention is in the enhancement and prolongation of self-tanning products. One of the recognized limitations of self-tanners, which are normally based on dihydroxyacetone(DHA) as the active component, is that the tan on the skin lasts only as long as the skin cells receiving the DHA remain in place. In the normal course of events, then, a self-applied tan usually lasts no more than 5 days, i.e., for as long as it takes for the stratum corneum layer to which the DHA was applied to fully turn over. When the compositions of the invention are combined with DHA, or any other self-tanning agent, in a typical self-tanning formulation, however, the rate of turnover of the stratum corneum to which the composition is applied is slowed down, thereby permitting a longer rate of retention of the "tanned" cells, and thus prolonging the length of time the tan remains visible on the skin. Thus, the invention provides a self-tanning composition comprising a protease inhibitor, a cell-differentiation enhancer, and an effective amount of a self-tanning agent, optionally containing cholesterol sulfate and the lipid component. In a preferred embodiment, the self-tanner is DHA, which is usually applied in an amount of from about 2.5 to about 10% by weight of the formulation. tanner may also be imidazole, preferably in combination with DHA, in an amount of about 1-10%, preferably about 1.5-7.5%.

5

10

15

20

25

30

The compositions of the invention are employed in a manner appropriate to the intended final use of the product. For example, in the treatment of occasional dry skin due to exposure to weather or other temporary conditions, or in the treatment of occasional skin irritation, the compositions can be used on an as-needed basis until the condition is relieved. When being used to treat a more permanent condition, for example, a condition associated with a defective or deficient lipid barrier, particularly sensitive skin, dry skin associated with any type of aging, or the wrinkling or fine lines associated with a thinning of the stratum corneum with aging, the composition is preferably applied chronically, to prevent recurrence of the condition. For this purpose, it is suggested as an example that topical application of the composition, in an amount of from about 0.1 mg/cm2 to 2 mg/cm2 of skin, be performed from about once per week to about 4 or 5 times daily, preferably from about 3 times a week to about 3 times daily, most preferably about once or twice per day. By "chronic" application, it is meant herein that the period of topical application may be over the lifetime of the user, preferably for a period of at least about one month, more preferably from about three months to about twenty years, more preferably from about six months to about ten years, more preferably still from about one year to about five years, thereby resulting in the treatment or prevention of the condition in question.

When the composition is used in conjunction with a sunscreen, it is applied in the same amounts as specified above, on an as-needed basis, to mitigate the effects of exposure to the sun. When used in combination with a self-tanner, the composition is also applied in similar amounts, on the portion of the skin to be tanned, with repetition, again, on an as-needed basis.

The invention is further illustrated by the following non-limiting examples:

EXAMPLES

Example 1.

5

10

15

20

25

30

35

A study is conducted to determine the efficacy of certain compositions in enhancing repair of the lipid barrier. Female volunteers with normal skin, who are in good general health, free of any dermatological disorders, participate in the study. Their skin barrier is challenged by tape stripping according to the procedure outlined below. After their evaluation, the subjects receive a treatment every day on the right side of their face. They are also given the product containing the actives to use once every night for three nights, on the right side of the face only, the left side being the untreated control side. A separate group is given a placebo, without actives, as treatment product.

To challenge the barrier, the subjects are acclimated in an environmental room at 40% relative humidity and 70°C for 15-20 minutes. A 5 cm by 1cm area is marked on the lower right cheek near the jaw line and initial water evaporation measurements are taken in three separate spots approximately 1 cm apart in a row. Five cm of cello-tape is placed on the skin in the outlined area, starting from the top of the cheek and after one firm stroke in each direction it is removed by gently pulling in a downward direction parallel to the skin. The procedure is repeated and water evaporation is measured after every five strips until the barrier is disrupted as indicated by a minimum of 18g/sq.m hr on one of the three spots. Both sides of the face are stripped in the same way. The subjects returned for TEWL evaluation 1,2 and 3 days after tape stripping of the skin to monitor the repair.

Barrier repair is evaluated by first challenging the skin as described above. One side is product-treated 2 times a day, and the other is the untreated control. Repair is measured in the increase in the recovery of the skin on the stripped and treated site compared to the stripped untreated site. From this, total

repair is calculated over three days by calculating the change in the area parameter. The smaller the area, the faster the repair.

Treatment products are (1) a composition containing 0.1% sclareolide and 0.2% white birch extract; (2) a composition containing 0.1% sclareolide and 0.2% boswellic acid; (3) a composition containing .2% each of phytocohesine(phytosterol sulfate), cennamides(wheat-derived ceramides), boswellic acid, cholesterol, and linoleic acid, and .1% sclareolide. The results obtained indicate for composition (1), barrier repair is 50% over placebo; for composition (2), repair is 59% over placebo, and composition (3) is shows barrier repair at 78% over the placebo, each composition therefore showing substantial efficacy in barrier repair.

5

10

What we claim is:

5

10

25

30

1. A composition for topical application to the skin comprising effective amounts of at least one protease inhibitor and at least one cell differentiation enhancer.

- 2. The composition of claim 1 in which the protease inhibitor is selected from the group consisting of triterpenoid-containing extracts, and active components thereof, phenolic-containing extracts and active components thereof, and protein-based extract and active components thereof.
- 3. The composition of claim 1 in which the protease inhibitor is selected from the group consisting of white birch extract, silver birch extract, Boswellia extract, bearberry extract, Centella asiatica extract, Pygeum (Prunus) africanum extract, betulinol, betulinic acid, boswellic acid, ursolic acid, oleanolic acid, oleanol, asiaticoside, asiatic acid, madagassic acid, green tea extract, apple extracts, EGCG, ECG, catechins, phenylpropanoids, phloretin, soy protein, egg protease inhibitors, cholesterol sulfate, phytosterol sulfate, and combinations thereof.
 - 4. The composition of claim 3 in which the protease inhibitor is selected from the group consisting of white birch extract, betulinol, betulinic acid, *Boswellia* extract, boswellic acid, and combinations thereof.
 - 5. The composition of claim 1 in which the cell differentiation enhancer is selected from the group consisting of forskolin, sclareolide, 7-dehydrocholesterol, and Vitamin D3 analogs.
 - 6. The composition of claim 5 in which the enhancer is sclareolide.

7. The composition of claim 1 comprising about .001 to about 10% of a protease inhibitor and about 0.001-10% cell differentiation enhancer.

- 8. The composition of claim 1 comprising about 0.1 to about 1% of a protease inhibitor and about .05-1% cell differentiation enhancer.
- 9. The composition of claim 8 in which the inhibitor is white birch extract, betulinol, or boswellic acid and the enhancer is sclareolide.

15

25

- 10. The composition of claim 1 which also contains cholesterol sulfate.
- 11. The composition of claim 10 which also contains at least one fatty acid, at least one ceramide, and at least one sterol.
- 12. The composition of claim 11 in which the fatty acid is a C12-20 C20 fatty acid.
 - 13. The composition of claim 11 containing about 0.05 to 10% of each of cholesterol sulfate or phytosterol sulfate, fatty acid, ceramide, and sterol.
 - 14. The composition of claim 1 which further comprises an effective amount of at least one self-tanning agent.
- 15. The composition of claim 14 in which the self-tanning agent 30 is DHA.
 - 16. The composition of claim 1 which further comprises at least one sunscreen.
- 35 17. A method for treatment or prevention of dry skin which comprises applying to the skin a composition according to claim 1.

18. A method for treatment or prevention of dry skin which comprises applying to the skin a composition according to claim 9.

- 19. A method for treatment or prevention of dry skin which comprises applying to the skin a composition according to claim 11.
- 20. A method for reducing or preventing skin's response to irritants or sensitizers comprising applying to the skin a composition of claim 1.
 - 21. A method for reducing or preventing skin's response to irritants or sensitizers comprising applying to the skin a composition of claim 9.
 - 22. A method for reducing or preventing skin's response to irritants or sensitizers comprising applying to the skin a composition of claim 11.
- 23. A method for protecting skin against effects of exposure to UV radiation comprising applying to the skin a composition of claim 1.
- 24. A method for protecting skin against effects of exposure to UV radiation comprising applying to the skin a composition of claim 9.
 - 25. A method for protecting skin against effects of exposure to UV radiation comprising applying to the skin a composition of claim 11.
 - 26. A method for protecting skin against effects of exposure to UV radiation comprising applying to the skin a composition of claim 16.

30

5

15

ŧ

27. A method for tanning the skin without exposure to the sun comprising applying to the skin a composition according to claim 14.

5 28. A method for tanning the skin without exposure to the sun comprising applying to the skin a composition according to claim 15.

50°0984



INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference		n of Transmittal of International Search Report		
2870/250	ACTION (Form PCT/IS/	A/220) as well as, where applicable, item 5 below.		
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)		
PCT/US 00/ 08871 04/04/2000				
Applicant O4 Decol				
COLOR ACCESS INC				
This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.				
This International Search Report consists of a total of sheets. X It is also accompanied by a copy of each prior art document cited in this report.				
Basis of the report				
	international search was carried out on the less otherwise indicated under this item.	basis of the international application in the		
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of	of the international application furnished to this		
b. With regard to any nucleotide an was carried out on the basis of the		e international application, the international search		
contained in the international application in written form.				
filed together with the international application in computer readable form.				
furnished subsequently to this Authority in written form.				
furnished subsequently to this Authority in computer readble form.				
the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.				
the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished				
2. Certain claims were fou	Certain claims were found unsearchable (See Box I).			
3. Unity of invention is lacking (see Box II).				
4. With regard to the title ,				
X the text is approved as su	bmitted by the applicant.			
the text has been establis	the text has been established by this Authority to read as follows:			
5. With regard to the abstract,				
X the text is approved as su	bmitted by the applicant.			
	hed, according to Rule 38.2(b), by this Auth e date of mailing of this international search	ority as it appears in Box III. The applicant may, report, submit comments to this Authority.		
6. The figure of the drawings to be publ	ished with the abstract is Figure No.			
as suggested by the appli	cant.	None of the figures.		
because the applicant fail	ed to suggest a figure.			
because this figure better	characterizes the invention.			

INTERNATIONAL SEARCH REPORT

Inter i Application No PCT/US 00/08871

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, EPO-Internal, MEDLINE

C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 99 62481 A (GUERLAIN S.A. ET AL.) 9 December 1999 (1999-12-09) page 3, line 21 -page 4, line 26 example 3	1,3,5,16
A	EP 0 976 396 A (L'OREAL) 2 February 2000 (2000-02-02) claims 13,15	1,3,5
Α	WO 99 24009 A (LVMH RECHERCHE ET AL.) 20 May 1999 (1999-05-20) page 8, line 3 page 8, line 7 page 8, line 19	1,3,5
A	WO 95 25524 A (LVMH RECHERCHE) 28 September 1995 (1995-09-28) claims 1-4,7	1,3,5

Further documents are listed in the continuation of box C.	Patent family members are tisted in annex.
Special categories of cited documents: A* document defining the general state of the art which is not considered to be of particular relevance E* earlier document but published on or after the international filing date L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O* document referring to an oral disclosure, use, exhibition or other means P* document published prior to the international filing date but later than the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
5 December 2000	12/12/2000
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Alvarez Alvarez, C

INTERNATIONAL SEARCH REPORT

Interr al Application No
PCT/US 00/08871

		PCT/US 00/088/1		
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim	No.	
A	WO 99 63978 A (R.J.REYNOLDS TOBACCO COMPANY ET AL.) 16 December 1999 (1999-12-16) claim 12	6		
A	ER 0 717 983 A (UNILEVER PLC ET AL.) 26 June 1996 (1996-06-26) page 3, line 10 - line 16	4		
	·			

INTERNATIONAL SEARCH REPORT

rmation on patent family members

Inter Application No
PCT/US 00/08871

Patent document cited in search report			Publication date	Patent family member(s)	Publication date
WO	9962481	Α	09-12-1999	NONE	
EP	976396	Α	02-02-2000	FR 2781670 A JP 2000080016 A	
WO	9924009	Α	20-05-1999	FR 2770776 A EP 1028705 A	
WO	9525524	Α .	28-09-1995	FR 2717389 A CN 1146153 A EP 0751777 A JP 10500395 T US 5747538 A	26-03-1997 08-01-1997 13-01-1998
MO	9963978	Α	16-12-1999	AU 3902299 A	30-12-1999
EP	717983	Α	26-06-1996	US 5529769 A CA 2164050 A JP 8208424 A	21-06-1996